

# SIA "Preiļu putni" transportēšana

Road /XP S 31-133 (9)								PP_darbiba_transports	
R96_021	Label	Rietumu iela PP		Action radius/m		3000.00			
	Group	Transportesana_PP		Emi. variant		Emission			
	Number of nodes	34				dB(A)			
	Length/ m	1651.39		Day (12h)		51.21			
	Length/ m (2D)	1651.38		Night (8h)		-99.00			
	Area /m²	---		Evening (4h)		-99.00			
				Max gradient % (z-coord.)		1.19			
				Driving direction		2 direct./driving on the right			
				Dist.:centreline lane - road /m		3.50			
				Road surface		Asphalt (obsolete)			
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		0.00	7.26	70.00	70.00	51.21	
	Night (8h)	Continuous flow		0.00	0.00	70.00	70.00	-99.00	
	Evening (4h)	Continuous flow		0.00	0.00	70.00	70.00	-99.00	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	71.2	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0	
R96_025	Label	Rietumu iela PP		Action radius/m		3000.00			
	Group	Transportesana_PP		Emi. variant		Emission			
	Number of nodes	47				dB(A)			
	Length/ m	800.00		Day (12h)		49.20			
	Length/ m (2D)	799.82		Night (8h)		-99.00			
	Area /m²	---		Evening (4h)		-99.00			
				Max gradient % (z-coord.)		-17.44			
				Driving direction		2 direct./driving on the right			
				Dist.:centreline lane - road /m		3.50			
				Road surface		Asphalt (obsolete)			
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		0.00	4.48	50.00	50.00	49.20	
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	69.2	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0	
R96_029	Label	Rietumu iela PP		Action radius/m		3000.00			
	Group	Transportesana_PP		Emi. variant		Emission			
	Number of nodes	2				dB(A)			
	Length/ m	51.16		Day (12h)		49.24			

## SIA "Preiļu putni" transportēšana

	Length/ m (2D)		51.16		Night (8h)		-99.00		
	Area /m²		---		Evening (4h)		-99.00		
					Max gradient % (z-coord.)		-0.51		
					Driving direction		2 direct./driving on the right		
					Dist.:centreline lane - road /m		3.50		
					Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		0.00	4.52	50.00	50.00	49.24	
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	69.2	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_028	Label		Rietumu iela PP			Action radius/m		3000.00	
	Group		Transportesana_PP			Emi. variant		Emission	
	Number of nodes		3					dB(A)	
	Length/ m		121.82			Day (12h)		50.51	
	Length/ m (2D)		121.82			Night (8h)		-99.00	
	Area /m²		---			Evening (4h)		-99.00	
						Max gradient % (z-coord.)		-0.25	
						Driving direction		2 direct./driving on the right	
						Dist.:centreline lane - road /m		3.50	
						Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		0.00	6.05	50.00	50.00	50.51	
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	70.5	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_027	Label		Rietumu iela PP			Action radius/m		3000.00	
	Group		Transportesana_PP			Emi. variant		Emission	
	Number of nodes		2					dB(A)	
	Length/ m		79.79			Day (12h)		51.48	
	Length/ m (2D)		79.79			Night (8h)		-99.00	
	Area /m²		---			Evening (4h)		-99.00	
						Max gradient % (z-coord.)		-0.30	
						Driving direction		2 direct./driving on the right	
						Dist.:centreline lane - road /m		3.50	
						Road surface		Asphalt (obsolete)	

# SIA "Preiļu putni" transportēšana

	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	7.57	50.00	50.00	51.48
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden	-		0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	71.5	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_026	Label	V752 PP			Action radius/m		3000.00	
	Group	Transportesana_PP			Emi. variant		Emission	
	Number of nodes	7					dB(A)	
	Length/ m	51.58			Day (12h)		46.19	
	Length/ m (2D)	51.58			Night (8h)		-99.00	
	Area /m²	---			Evening (4h)		-99.00	
					Max gradient % (z-coord.)		-0.24	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		3.50	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	2.24	50.00	50.00	46.19
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden	-		0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	66.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_023	Label	V752 PP			Action radius/m		3000.00	
	Group	Transportesana_PP			Emi. variant		Emission	
	Number of nodes	28					dB(A)	
	Length/ m	256.20			Day (12h)		46.19	
	Length/ m (2D)	256.16			Night (8h)		-99.00	
	Area /m²	---			Evening (4h)		-99.00	
					Max gradient % (z-coord.)		3.56	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		3.50	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	2.24	50.00	50.00	46.19
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden	-		0.0	0.0	0.0	-	0.0

# SIA "Preiļu putni" transportēšana

	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	66.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_024	Label	V752 PP			Action radius/m		3000.00	
	Group	Transportesana_PP			Emi. variant		Emission	
	Number of nodes	41					dB(A)	
	Length/ m	383.78			Day (12h)		48.22	
	Length/ m (2D)	383.78			Night (8h)		-99.00	
	Area /m²	---			Evening (4h)		-99.00	
					Max gradient % (z-coord.)		0.88	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		3.50	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	2.24	90.00	90.00	48.22
	Night (8h)	Continuous flow		0.00	0.00	90.00	90.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	90.00	90.00	-99.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	68.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_022	Label	Rietumu iela PP			Action radius/m		3000.00	
	Group	Transportesana_PP			Emi. variant		Emission	
	Number of nodes	2					dB(A)	
	Length/ m	17.21			Day (12h)		51.30	
	Length/ m (2D)	17.21			Night (8h)		-99.00	
	Area /m²	---			Evening (4h)		-99.00	
					Max gradient % (z-coord.)		-0.33	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		3.50	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	7.26	50.00	50.00	51.30
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	71.3	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0